


This project has received funding from the European Union's Horizon 2020 $\,$




Ageing, physical function and exercise

With this brochure, we want to inspire you to exercise at home. You can use this exercise program as your main form of exercise or in addition to the exercise you may already include in your weekly routine, e.g. fitness classes, walking. The program includes a full-body workout and contains a combination of strength, balance and coordination exercises.

Research shows that declines in physical function (e.g. lower gait speed) among older adults can be prevented by exercise and that even a small increase in exercise can have a positive effect on your health.

In the SITLESS project, we try to motivate older adults to increase the amount of physical activity and exercise they do, while also reducing their sedentary behaviour. Read more about sedentary behaviour at the end of this brochure.

For more information about the SITLESS project visit our webpage: www.sitless.eu



Instruction

The workout in this brochure is meant for individuals with a minimal training experience who want to do seated exercises. The only thing you need is a chair, a carrier bag, and your own body weight. If you want to do exercises with higher difficulty, please move on to level 2 or 3.

In the present exercise program, we recommend exercising twice a week. The program is divided into sessions which include a variety of exercises grouped into blocks. There are three sessions and we recommend following the first session (Session 1) for four weeks. After completing the first session for four weeks, you move on to the second session (Session 2) for four weeks (we encourage you to add some exercises from the blocks included in Session 1). Finally, you move on to the third session (Session 3) for the next four weeks (once again we encourage you to add some exercises from the blocks in Sessions 1 and 2). Once you have completed all three sessions, you can put together your own exercise program based on exercises from Sessions 1, 2 and 3. Remember to include exercises for both upper- and lower body as well as exercises, which improve your balance.

Each session consists of a warm-up and three blocks. Each block contains 2-3 ex-

ercises, and next to each exercise you will be able to see if you need to complete the exercise for 30 seconds in a row or do 10 repetitions. Some exercises require you to do 10 repetitions on both your right and left side.

The warm-up and all blocks must be repeated three times, so you end up completing 3x10 repetitions or 3x30 seconds of each exercise.

Make sure the intensity is high – in other words, the exercise must be hard enough. In practice, this means that the exercise should feel so exhausting that you can only do it for 30 seconds or perform 10 repetitions in a row. Add more weight to your carrier bag if the exercise is too easy to perform. In general, you should have more weight in your carrier bag when exercising your lower body and less weight when exercising your arms and upper body.

Enjoy your workout!



Example of 12-week programme

Sessions can be completed on your preferred day, but it is important to incorporate rest days between sessions and add in your own exercise/physical activity to meet the recommended guidelines (150 minutes per week).

	Mon	Tue	Wed	Thu	Fri	Sat	Sun
Week 1		Session 1 Blocks 1 - 3			Session 1 Blocks 1 - 3		Walk
Week 2		Session 1 Blocks - 3			Session 1 Blocks 1 - 3		Walk
Week 3		Session 1 Blocks - 3			Session 1 Blocks 1 - 3		Walk
Week 4		Session 1 Blocks 1 - 3			Session 1 Blocks 1 - 3		Walk
Week 5		Session 2 Blocks 4 - 6			Session 2 Blocks 4 - 6		Walk
Week 6		Session 2 Blocks 1, 4 - 6			Session 2 Blocks 1, 4 - 6		Walk
Week 7		Session 2 Blocks 2, 4 - 6			Session 2 Blocks 2, 4 - 6		Walk
Week 8		Session 2 Blocks 3 - 6			Session 2 Blocks 3 - 6		Walk
Week 9		Session 3 Blocks 7 - 9			Session 3 Blocks 7 - 9		Walk
Week 10		Session 3 Blocks 2, 7 - 9			Session 3 Blocks 2, 7 - 9		Walk
Week 11		Session 3 Blocks 4, 7 - 9			Session 3 Blocks 4, 7 - 9		Walk
Week 12		Session 3 Blocks 6 - 9			Session 3 Blocks 6 - 9		Walk

We encourage to follow the safety rules below:

- When using a chair, it should be placed up against a wall so it cannot move or turn over.
- Exercise on solid ground:
 wall-to-wall carpets and wood- or
 linoleum flooring. Avoid exercising in
 rooms with smaller carpets or mats.
- If you are exercising on slippery surfaces, make sure that you have bare feet and do not train in socks.
- If you are exercising in shoes, make sure that you choose shoes you feel comfortable in. Shock-absorbing training shoes can be a good idea if you are overweight or have problems with knee- or ankle joints.
 Avoid clogs or high-heeled shoes.

 Make sure to drink extra fluid on the days when you are exercising.
 Drink approximately ½ litre more on workout days. Drink before, during and after training to prevent dizziness and falling.

Training – Session 1 (4 weeks)

Warm-up (Repeat the warm-up 3 times)



Sit on a chair with your back straight. Lift in turns your right and left knees while moving your arms.







Sit on a chair with your back straight and stretch your arms above your head. Bend forward in your back with your arms alongside your legs. Straighten your back while lifting your arms up into the air.







Sit on the edge of a chair with your back straight. Support with your hands on the seat of the chair. Lift in turns your right and left knee high up in the air.



Block 1 (Repeat Block 1 three times)





Chair rise: Place a chair against a wall.
Position yourself in front of the chair with your back straight, keeping your chest up tall. Bend your knees and move your buttom backwards so you touch the seat without sitting down. Stand up and repeat. Perform 10 repetitions.



10 reps.





Standing shoulder exercise: Position yourself with your back straight and feet hip width distance apart. Hold the bag in your hands and lift both arms streched in front of you. Slowly lower your arms and repeat. Perform 10 repetitions.



10 reps.

Block 2 (Repeat Block 2 three times)





Kick back: Position yourself behind a chair with your back straight. Place your hands on the back of the chair and look straight ahead. Lift one leg backwards while the leg is stretched. Make sure to keep your upperbody steady so only your leg is moving. Perform 10 repetitions with your right leg. Repeat and perform 10 repititions with your left leg.









Push ups: Position yourself facing the wall with one arm's length to the wall. Support your arms on the wall with your hands more than shoulder-width distance apart. Tighten up your stomach and keep your back straight as a plank while lowering your body against the wall and push back up. Perform 10 repetitions.



Block 3 (Repeat Block 3 three times)





Knee raise: Sit on a chair with your back straight. Lift in turns your right and left knee high up in the air. Perform 10 repetitions with each leg.







Balance exercise: Position yourself next to a wall. Stand with your back straight and with your feet together. Keep your balance. If the exercise is too easy, try to balance on one leg. Try to keep the balance as long as possible (max 30 sec.) and then repeat with the other leg.



0-30 sec.

Training – Session 2 (4 weeks)

Warm-up (Repeat the warm-up 3 times)



Position yourself with your side next to a wall. Support yourself with one hand on the wall. Straighten your back, keeping your chest tall and walk at a high pace on the spot.







Stand up with your back straight. Bend your knees while swinging your arms down and backwards alongside your legs. Now stretch your knees while swinging your arms forward in front of you and up in the air.







Stand up with your back straight. Have a chair beside you for support if necessary. Run on the spot while boxing with your arms in front of you.



Block 4 (Repeat Block 4 three times)





Seated knee raises (cycling): Sit down on a chair with your back straight without leaning against the back of the chair. Hold on to the seat of the chair with both hands. Tighten your core and lift both legs approx. 5 cm above the floor. Now lift in turns your right and left knee up to your cheast as if you were riding a bike.







1-arm upper back exercise: Position yourself with your left hand and knee on the seat of the chair. Hold the bag in your right hand and make sure your back is straight and in a horizontal position. Hold your right hand stretched down towards the floor and lift it up to your chest by bending your elbow. Lower it slowly and perform 10 repetitions. Repeat with your left arm.



10 reps.

Block 5 (Repeat Block 5 three times)



Balance exercise: Position yourself with your side next to the wall and your back straight. Imagine walking on a tightrope by positioning the heel of one footin front of the toes of the other foot. Continue this way for 30 seconds.







Chair rise: Place a chair against a wall. Position yourself in front of the chair with your back straight, keeping your chest up tall. Bend your knees and move your buttom backwards so you touch the seat without sitting down. Stand up and repeat. Perform 10 repetitions.



10 reps.

Block 6 (Repeat Block 6 three times)





Side kick: Position yourself with your right side against a wall. Support yourself with your left hand. Lift your right leg strecthed to the side without moving the upperbody. Your toes are pointing straight ahead and not up in the air. Perform 10 reps. with your left leg and repeat with the right leg.



10 reps.



Pelvic floor muscles: Position yourself with your back straight and with your feet shoulder-width apart. Tighten the pelvic muscles (imagine if you were trying control urine flow) and hold the tension for a few seconds. Release the tension and relax for a moment. Perform 10 repetitions.







Deadlift (whole body exercise): Position yourself with your back straight and your feet hip-width distance apart. Hold the bag in your hands. Push your bottom backwards and bend down in your knees, so the bag gets closer to the floor. Keep your back straight and chest up tall throughout the exercise. Stand up and repeat for 10 repetitions.



Training – Session 3

Warm-up (Repeat the warm-up 3 times)



Stand up with your back straight. Walk on the spot at a high pace while moving your arms.







Stand up with your back straight.
Bend your knees while swinging your arms down and backwards alongside your legs.
Now stretch your knees while swinging your arms forward in front of you and up in the air.







Position yourself with your back straight and hip width distance between your feet. Lift in turns your right and left knee high up into the air while pulling your arms down on both sides of your raised knee.



Block 7 (Repeat Block 7 three times)





Chair rise with bag: Place a chair against a wall. Position yourself in front of the chair and hold the bag against your chest. Keep your back straight, keeping your chest up tall. Bend your knees and move your buttom backwards so you touch the seat without sitting down. Stand up and repeat. Perform 10 repetitions.







1-arm shoulder exercise: Position yourself with your back straight and hip width distance between your feet. Hold the bag in one hand at shoulder height. Lift your arm straight up and slowly lower it. Perform 10 repetitions with your right arm and then 10 repetitions with your left arm.



10 reps.

Block 8 (Repeat Block 8 three times)





Seated knee raises (both legs): Sit on a chair with your back straight and without leaning against the backrest. Hold on to the seat with both hands. Tighten up your core muscles and lift both knees together towards your chest. Slowly lower your knees and repeat. Perform 10 repetitions.



10 reps.





Standing diagonal lift: Position yourself with your back straight and with hip width distance between your feet. Lift one arm up in the air while stretching the opposite leg backwards. Switch to the opposite arm and leg and continue this way. Perform 10 repetitions on each side.



10 reps.





Deadlift (whole body exercise: Position yourself with your back straight and your feet hipwidth distance apart. Hold the bag in your hands. Push your bottom backwards and bend down in your knees, so the bag gets closer to the floor. Keep your back straight and chest up tall throughout the exercise. Stand up and repeat for 10 repetitions.



Block 9 (Repeat Block 9 three times)





Push ups: Position yourself facing the wall with one arm's length to the wall. Support your arms on the wall with your hands more than shoulder-width distance apart. Tighten up your stomach and keep your back straight as a plank while lowering your body against the wall and push back up. Perform 10 repetitions.



10 reps.





1-arm upper back exercise: Position your-self with your left hand and knee on the seat of the chair. Hold the bag in your right hand and make sure your back is straight and in a horizontal position. Hold your right hand stretched down towards the floor and lift it up to your chest by bending your elbow. Lower it slowly and perform 10 repetitions. Repeat with your left arm.



10 reps.





Sedentary behaviour

What is sedentary behaviour?

Sedentary behaviour occurs whilst sitting or lying down and involves very low energy activities (e.g. watching TV, reading a book or driving).

Even a person who meets the physical activity guidelines can still be defined as being sedentary if the rest of their day is spent sitting rather than completing some light activities.

Why is it important for me to sit down less?

Current evidence suggests that prolonged sitting is linked to an increased risk of early death and a wide range of chronic diseases, including:

- Cardiovascular diseases
- Type-2 diabetes
- Stroke
- Obesity
- Certain types of cancer such as colon cancer and cervical cancer
- Osteoporosis

By replacing some sitting with standing and light physical activities (e.g. doing the dishes, cleaning, shopping, etc.), it may be possible to:

- Reduce the risk of being affected by the above-mentioned diseases
- Reduce blood pressure
- Reduce cholesterol levels
- Improve physical function (i.e. increased ability to do daily activities)
- Improve mental health



Frequently asked questions about sedentary behaviour

What counts as too much sitting?

Unfortunately, there is currently not enough evidence to set a daily time limit on the sitting behaviour of older people. However, results from the SITLESS project show that older adults in Europe are sitting for more than 11 hours a day corresponding to approximately 80% of an older adults' waking time. This is viewed as high levels of sitting.

Are you telling me I should never be sitting?

Definitely not! Sitting is a natural behaviour which gives the body time to rest and recover after performing daily activities. However, what we are saying is that small, regular reductions in current sitting time are likely to have a positive impact on health.

Am I going to exercise all the time to reduce my sitting time?

Not at all! Any activity which does not involve sitting can be used. This means very light physical activity such as standing and gentle walking can all be used to reduce sitting time as well as more moderate and vigorous physical activities.

Are there seated or reclining activities which are not counted as sitting behaviours?

Sleeping, chair-based exercise and seated exercise machines (e.g. static bikes and fixed weight machines) are NOT counted as sedentary activities.

How can I reduce my sitting time?

- 1. Identify how much you are sitting and when you are sitting the most during the day to understand the possibilities to reduce your sedentary behaviour (e.g. decrease the amount of TV in the evening).
- **2.** Organize walks or physical activities with your family, friends or neighbours.
- **3.** Try breaking up screen time (e.g. watching television or sitting in front of your computer or tablet).
- **4.** Take advantage of commercial breaks when watching TV (get coffee or water).
- **5.** Dance to the music on the television
- **6.** Ask yourself: Is it necessary to sit down for this activity?
 - Stand up instead of sitting down when it is possible.
- **7.** A good rule of thumb would be to break up long periods of sitting

- (i.e. one hour or more) with at least five minutes of any physical activity.
- **8.** Schedule daily life activities when you usually are sitting the most.
- 9. Buy a pedometer or activity monitor to monitor how many steps you are walking each day. Walk with the pedometer for a week under regular circumstances and slowly try to increase the number of steps you take each day.
- **10.** Incorporate new habits into your daily life activities:
 - Park your car far away from the supermarket entrance.
 - Carry your shopping bags instead of using a trolley.
 - Use a manual lawn mower instead of a robotic lawn mower.
 - Pick up the coffee/tea from the kitchen instead of using a thermos



Contact

Laura Coll Planas, PhD., laura.coll@uab.cat Paolo Caserotti, pcaserotti@health.sdu.dk Mark Tully, PhD., m.tully@ulster.ac.uk Maria Giné Garriga, PhD., mariagg@blanquerna.url.edu Dietrich Rothenbacher, PhD., Dietrich.Rothenbacher@uni-ulm.de

Want to know more about SITLESS? www.sitless.eu, www.twitter.com/sitlesseu

The following people have helped to prepare the brochure:

Pia Øllgaard Olsen, PhD Student, SDU.
Jonathan Vaarst, PhD Student, SDU.
Gry Kock, Research Assistant, SDU.
Mathias Skjødt Christensen, Research Assistant, SDU.
Paolo Caserotti, Professor, SDU

Thanks to Heidi Juul Jensen who has been the model in all the pictures in the exercise program, and thanks to Ida Petersen who has been a model in all the pictures to the front page.



In the picture you see representatives from all the European countries that have participated in The SITLESS project.

Partners:



















